Table of Contents

Purpose of the Primer and Background of Catastrophe Modeling 1

Purpose of the Primer and Background of Catastrophe Modeling

The purpose of the Catastrophe Modeling Primer (Primer) is to provide information to state insurance regulators needing a basic understanding of catastrophe modeling. The Primer's intention is not to be all-inclusive; instead, it suggests considering and exploring the areas and concepts that will help state insurance regulators better understand the basics of probabilistic catastrophe models. This type of model forecasts the statistical characteristics of possible results by considering the random variance in one or more parameters across time. The Primer does not take a position as to the ultimate soundness of probabilistic catastrophe models or the interpretation of the results derived from their use.

The Primer introduces the fundamental concepts surrounding probabilistic catastrophe models and serves as a bridge to available training and materials offered by the Catastrophe Model Center of Excellence (COE). Since the COE provides training in the more technical aspects of catastrophe modeling, the Catastrophe Insurance Working Group of the Property and Casualty Insurance (C) Committee (Working Group) created the Primer to introduce state insurance regulators to basic catastrophe

Following Andrew's landfall, catastrophe models projected the insured losses could cost insurers as much

length of the wildfire season and causing more destructive fires.[12] While wildfire is considered a "natural disaster," 85-90% of wildfires

Figure 6 shows the top counties with the highest percentage of properties facing high climate risk.[23]

Figure 6

A property is classified as having high climate risk when it faces a high, very high, or extreme climate risk score from ClimateCheck.[24]

Three counties in Florida, Lee County, Brevard County, and Hillsborough County, had the highest share of high-Risk County

Figure7

Figure 8.

Figure 8 above visualizes the increased severity of yearly U.S. severe convective storm events. Between 2013 and 2022, severe storm events accounted for 54% of disasters[30]

As of April 8, 2024, the U.S. has seen 387 disasters of $1 billion or greater with losses due to weather and climate-related disasters since 1980, averaging 20.4 yearly events for the most recent five years (2019-2023). The numbers are CPI-adjusted, and yearly summaries can be found by visiting NOAA Summary Stats. Figure 9 represents the types of these disasters[31].

Figure 9.

The National Centers for Environmental Information (NCEI) uses documented history to track historical severe weather and climate events

Historical loss experience is difficult to adjust to reflect current conditions, such as portfolio changes or societal changes. For example, building codes, construction practices, and materials change over time, so the damage from a previous catastrophic event that occurred many years ago may not provide accurate details for a current loss.[37]

Since the inception of catastrophe models in the late 1980s, these models are now being used across the insurance industry for ratemaking, buying reinsurance, managing catastrophe exposures, and meeting regulatory and rating agency standards. Other stakeholders increasingly use catastrophe models for new purposes, including loss mitigation studies and quantification, forward-looking climate scenario modeling, and addressing other climate-related impacts. However, as their use becomes more widespread, it is important to understand how a catastrophe model can be used and to help decision-makers learn how to evaluate them effectively.[38]

Catastrophe Models Versus Historical Approaches

Extreme weather events occur less frequently, so past information does not include all possible and plausible events.[39] As discovered following Hurricane Andrew, loss estimates using traditional actuarial techniques based on historical loss experience were much lower than the actual losses.[40] However, this does not mean historical experience consistently understates the expected losses. Following a large hurricane, the use of historical losses may overstate the future expected losses.

A study by Milliman found infrequent wildfires before 2017 and the use of historical losses likely understated rate indications. However, historical losses after the extreme wildfire seasons that followed may have overstated rate indications.[41]

detailed) depending upon the use case, such as county, state, or postal code level or at the individual location level.[43]

Catastrophe model results can vary significantly, even with the same exposure data input, due to differences

The basic framework for modeling the impacts of natural hazards on a portfolio of exposures can be broken down into the following modules. (Note: The exact terminology used by each model vendor may vary slightly from what is described below):

- Hazard Module (also known as the local intensity calculation module or event footprint generation);
- Vulnerability Module;
- Exposure Module; and
- Financial Module

The Hazard Module

Hazard is defined as the danger caused by a peril to a community within the impacted area; for example, damaging winds from a hurricane might be a peril. The main function of the hazard module is to generate various event scenarios, determine the path associated with each scenario, and assess the local impact as the event progresses in both time and space for specific perils such as hurricanes or earthquakes

The hazard module consists of two sub-components, as listed below

1. Event Catalog
2. Event Footprint

An event catalog consists of a probabilistic event set, which is a database of simulated scenario events.[48] Each event sets events draw upon data from meteorological history, geology, and geography.[49] The simulation uses logical and scientific data principles to replicate several types of events. Each event is defined by its probability of happening and the area it affects. It generates numerous potential event scenarios based

amount of damage or a collapse from a given hazard intensity. This module also calculates Additional Living Expenses (ALE) or Business Interruption losses (indirect loss).

Figure 12 – Types of Losses Modeled

The vulnerability matrix generally varies depending upon the building's risk characteristics, such as occupancy (residential, commercial, or industrial), building construction (wood, masonry, or steel), age of

exposure data, most catastrophe models can reflect the impact of these elements through vulnerability curves.

The Exposure Module

While the hazard module estimates the hazard intensity footprint for a specific event, the exposure module houses the portfolio data, such as location-specific information, the building's complete physical address or latitude/longitude, risk characteristics, and insured values.

The exposure module also includes information about insurance policy terms and conditions, such as deductibles, limits, and any applicable reinsurance.

Catastrophe models are sensitive to the data input by the insurer, or the entity designated by the insurer, for data input for running through the model to produce the modeled results. Catastrophe models include a framework to use default assumptions to fill in some of the missing information, such as the use of a default year band based on the occupancy in a certain geographical area using the model vendor's proprietary building inventory database. However, the uncertainty of the modeled output increases when the input data is not accurate or has material gaps and relies on assumptions.[54]

exposure values, also known as sum insured, exposure characteristics, and user-defined information for classification and reporting purposes.

While exposure values are essential to the modeling process, obtaining consistent and accurate values remains challenging. These values also need to be adjusted periodically to account for inflation trends. Therefore, it is important to validate and benchmark these values accordingly.

Financial structure information, like deductibles, limits, and reinsurance, need to be entered into a model, just as information about how the locations are grouped or categorized into a policy should be entered.

Figure 14 – Input Example

A catastrophe model's input depends on the peril being modeled. For example, hurricane deductibles may be different from those for earthquake or wildfire perils. Additionally, the mitigation element coding that the model considers depends on the peril being modeled.

For models to correctly reflect a peril's risk, multiple data inputs are required during each step. To protect against uncertainty, the model user must use reliable information to assess the input correctly. Exposure data includes exposure details, like address information. Geographic coordinates can also be used. Address granularity impacts the calculation of model uncertainty. Therefore, location validation is important, as it may affect the computation of model uncertainty. The catastrophe model evaluates the given coordinates' accuracy based on the input address's quality. The model indicates the level of detail in the match, distinguishing between a high-resolution match (e.g., street, building, or parcel) and a low-resolution match (e.g., postal code or city).

It is important to note that the catastrophe model is sensitive to the data input into it. The data quality of the information on the risk, such as address and building characteristic data, is important. However, better data quality does not guarantee a lower modeled loss, but it does ensure a more accurate representation of the risk. The better the data, the less there is a need to rely on assumptions, which reduces uncertainty.[57]

Outputs

Catastrophe models produce outputs that can be used by insurance industry professionals in numerous ways when it comes to catastrophe exposure management. The output derived from catastrophe models is widely used for ratemaking, premium mitigation credit quantification, reinsurance purchase, capital, and solvency assessment. In July 2018, the American Academy of Actuaries developed a "paper, Use of Catastrophe Model Output" It is important to note that

The AAL represents a long-term average, the expected value occurring in any given year. The calculation used to obtain the aggregate AAL is:

O Q K B P D H K O O B A K O I A = ? U A = N J P D ? A = P = C H K

P D A

suddenly releases water by excessive snowmelt

The term "cyber" encompasses a range of effects, including business disruption, hardware or software malfunctions, regulatory penalties, and data theft resulting from security breaches.

While cyber catastrophe models have evolved, they differ from traditional catastrophe models The output from cyber catastrophe models continues

Regulatory Concerns

Model Variability

California

California Code of Regulations, 10 CCR § 2644.4 (e) specifies allowance of models for Earthquake and for Fire Following Earthquake (FFEQ) for ratemaking in California. California also allows models for other perils in developing rating relativities, such as territorial and wildfire relativities.

California Code of Regulations 10 CCR § 2644.9 requires that insurers develop or update their homeowner's insurance rating plans and consider and apply mitigation credits, discounts, or other rate differentials for properties that employ recognized wildfire mitigation measures.

California also requests that the insurer complete its model review checklist, which has recently been revised to improve support for both catastrophe and non-catastrophe models.

Florida

The Florida Commission on Hurricane Loss Projection Methodology (FCHLPM) was established to evaluate models per Florida statute. For the residential property line of business, only the use of accepted models is required to support hurricane rates in rate filings submitted to the Florida Office of Insurance Regulation (FLOIR). The FCHLPM also evaluates flood models, though rate filings are informational.[83]

The FCHLPM is independent of FLOIR. However, Florida statute requires that FCHLPM membership includes a FLOIR actuary responsible for property insurance rate filings who is appointed by the Commissioner of FLOIR.

The FCHLPM consists of technical experts specializing in meteorology, engineering, actuarial, and computer science.

In Florida, a public hurricane loss projection model incorporating detailed loss data is utilized to review rate filings. This model is subject to FCHLPM review. When companies select an accepted model to use in rate

¬Ø065 0 4 66B336.9631m-4 (ts)12ev (2)5.7 (es)1.6 (o)-3.w (e)43.eq(n)5.2u(i)2.7 (es)1. (ts)12em (i)2.8t (e)]T. 0

South Carolina

South Carolina law, S.C. Code Ann. § 38-73-140 (2007), authorizes the Director of Insurance to evaluate the use of any natural catastrophe model in property insurance rate filings in South Carolina. South Carolina has a review process for hurricane models used in ratemaking for property insurance for South Carolina properties, but they do not review models for other perils.

The South Carolina Department of Insurance issued Bulletin Number 2014-02 on January 2, 2014. This bulletin provides background for an independent panel's initial review of hurricane models. It also sets forth the direction that SC DOI would take going forward and how the industry should respond regarding the making of SC property rates for damage by hurricanes.

Throughout the model review process, it has become clear that the models' results depend on the input data from companies using them. This is why insurers are required to provide a description of the input data used to run the models.[95]

The South Carolina DOI website provides information about the hurricane models that are approved in the state and when they are set to expire. If a company is using an unapproved model, then it needs to provide the following information:

- An explanation of why the company is using the selected model;
- The differences between the approved and selected model;
- The impact of the model selection on loss costs and indication calculation; and
- The approval and expiration dates set by the Florida Commission on Hurricane Loss Projection methodology.

Companies must complete the CAT-1 property exhibit included in the Property Actuarial Exhibits workbook for any property rate filing submission. The actuarial exhibits can be found on the South Carolina DOI's

Rates are already increasing due to the increasing frequency and severity of catastrophic events. Consumer advocates believe the increases related to computer models and their effect on insurance bills should be disclosed. Additionally, there are still many areas where availability and affordability remain problematic.

Summary

Despite the challenges and complexities that come with catastrophe models, their usefulness and value in risk management cannot be overstated. These models are the cornerstone of informed decision-making in the insurance and reinsurance industries. They provide a structured framework to quantify risk, which is essential for developing sound strategies in underwriting, pricing, and portfolio management. While uncertainties do exist, catastrophe models are constantly evolving to incorporate new data, science, and technology. Today, catastrophe modeling serves the insurance market in a profound way. For the past 30 years, catastrophe models have played a major role in shaping the insurance industry for insurers and reinsurers. Their use extends beyond predicting insured losses. Insurers and reinsurers depend on catastrophe models for ratemaking, financial solvency, reinsurance placement, and more. The intricate nature of catastrophe modeling considers changing global climate conditions and insured exposure, creating the need for catastrophe models to implement updates to their data sets consistently. The insurance industry's reliance on catastrophe models continues to grow and underscores the critical importance of catastrophe models.

For technical training needs surrounding catastrophe modeling, visit the COPE's website.

Exposure Draft

Appendix 1 – California Regulations Links

- Cal. Code Regs. Tit. 10, § 2644.4 – Projected Losses
- Cal. Code Regs. Tit. 10, § 2644.9 – Consideration of Mitigation Factors; Wildfire Risk Models

Appendix 2 – Hawaii Memorandum

DAVID Y. IGE
GOVERNOR

JOSH GREEN
LIEUTENANT GOVERNOR

STATE OF HAWAII
DEPARTMENT OF COMMERCE AND CONSUMER AFFAIRS
INSURANCE DIVISION
335 MERCHANT STREET, ROOM 213, HONOLULU, HAWAII 96813
P.O. BOX 3614, HONOLULU, HAWAII 96811
Phone Number: (808) 586-2790
Fax Number: (808) 587-6714
insurance.hawaii.gov

CATHERINE P. AWAKUNI COLÓN
DIRECTOR

JO ANN M. UCHIDA TAKEUCHI
DEPUTY DIRECTOR

COLIN M. HAYASHIDA
INSURANCE COMMISSIONER

September 23, 2022

2022-9R

To: All Licensed Insurers Offering Property Insurance in Hawaii

From: Colin M. Hayashida, Insurance Commissioner

Subject: Catastrophe Models for Hurricane Exposure in Hawaii ("Hurricane Models")

The purpose of this memorandum is to provide guidance on supplemental rate filing requirements for property insurance and to supersede memorandum 2003-3R dated July 30, 2003.

The Insurance Division has reviewed and approved for use, effective November 1, 2022, the following hurricane models in Hawaii:

- AIR Tropical Cyclone Model, Version 3.10[1]
- CoreLogic Hawaii Hurricane Model[2]
- RMS NA Hurricane Model, Version 18.1.1[3]

Insurers with previously approved property rating programs which use formerly approved hurricane models are not required to refile.

Insurers who wish to use these newly approved models [illegible]

[1] Released June 14, 2013, implemented in AIR Touchstone through 8.10

[2] Released July 31, 2019, implemented in RQE v 19

[3] North Atlantic Hurricane Model 145)9

Appendix 3 – Maryland Regulations

Maryland

data combines the three types of shutters and codes them as one.

11. How does the company determine these inaccuracies and how are they corrected and/or adjusted prior to a model run?

C.

F. PROPERTY CODING AND ACCURACY

Appendix 4 – Questions for Regulators Following a Preliminary Assessment of Catastrophe Models

Please note that this section primarily relates to hurricane and earthquake property loss. The suggested questions could be adapted for other catastrophic events (tornado, hail, freeze, etc) and for other types of loss

6.

For the homeowners policy form, please provide the number of policies, the average amount of insurance, the current average premiums and average rate changes for each of the categories below. Please calculate the premiums and rate changes.

By countyanddeductible

Assumptions(

Validation

1. What validation and testing has been performed with the model?

2. How long has the model been in production? Who has reviewed the model? Have any enhancements been made to the model?

3. Are there any significant differences of opinion among experts concerning material aspects of the model?

4. Describe sensitivity tests of the models. What was the most sensitive aspect of each model and the basis for making this determination? What is the degree to which these sensitivities affect expected loss costs results?

5. Has the model been certified or acknowledged to comply with a specified set of standards, If so, who certified it and what are the standards with which the model was required to comply?

6. Is the model based on generally accepted practices within the applicable field of expertise? [Note: This is more than just an actuarial question…structural engineering, etc.]

OUTPUT

What are the Outputs?

1. What are the outputs of the model? (Are the model outputs reasonable and what analysis evaluation was performed to evaluate the reasonableness of the output? How were the model's calculations verified? Have the model and its outputs been reviewed? Has the model output been validated? To what extent has other data been used in verifying the reasonableness of the output data?)

2. Were any other models evaluated? Are the results being relied upon consistent with output provided by different vendors? If not, please explain the differences. Please explain the difference between the historical indications and the model results? Please provide a summary of the modeled homeowners loss estimates produced by each of the simulation models by policy form, territory, and deductible. Please explain if one model was used or if more than one model was used and if so please provide a comparison of those models.

Adjustments to Outputs

1. Please describe the adjustments made for changes in risk, such as the coverage provided or the insurer's geographic distribution, to reflect the anticipated exposure for the period being priced? How was the model recalibrated to account for changes in the coverage provided?

2. Does the model produce loss costs for all classes or is a base loss cost produced and then adjusted for various risk characteristics? If adjustments are made, are they made by the model or afterward? Please provide support for any classification adjustment?

Exposure Draft

3. Is the level of detail in the filing the same as the model output? If not, what adjustments were made?

4. Have there been changes to the output data provided? What are the reasons for and effects of th modifications? Iid effeci (f)8.9 (t)-ofny2 (o)10.9 64-2.6 (6)2 (g)24-2.6ng6 (h)2 (e sns)-2. pr-4-(d)ovgfit(6)2

4. In modeling earthquake risk, how are the parameters for the seismic activity and attenuation determined?
5. What are the seismic attenuation relationships used? Do they differ throughout the state (perhaps by earthquake source depths)?
6. What are the impacts on the parameters from other seismology and geology influences (other than the summary of historic earthquakes)?

7. What is the model's "track record?" (How has the model performed in predicting the recurrence and magnitude of earthquakes, both in the mid-continent U.S. and elsewhere? Has well has the model predicted the insured damage caused by these earthquakes?)

8. How sensitive are the model estimates to assumptions about tectonic plate movement? Please stat the tectonic plate movements that were incorporated and their affect on the modeled estimates.

9. Did the model take into account or apply only one type of earthquake? For instance, strike slip or dip slip.

10. How were the following factors taken into consideration in the earthquake model?

Use of Output

1. How were the epicenter locations selected for iterations?

2. How has the model output been used in the filing? Are results used for statewide indications, territorial indications, etc.?

3. What data adjustments have been made for earthquakes from other regions that are incorporated in the model?

SECTION

geocoding? If the location is less detailed, such as census block or zip code, how can it be accurate?

9. How is surface roughness, buildings, trees, etc. reflected and what data is used? Is the data current?

10. Provide a comparison of actual to modeled storms adjusting for change in exposure and explain the differences

Historical Validation

1. Provide a list of past hurricanes that were capable of causing property damage in your state. Identify the date, location and intensity, and appropriate parameters. Identify the source of the data. Identify hurricanes whose parameters are uncertain, in dispute or based on Cro2.-12(6)12.T0 -0.0ahT-32